

**Request for Prior Authorization
DIRECT ORAL ANTICOAGULANTS**

(PLEASE PRINT – ACCURACY IS IMPORTANT)

Requests for a diagnosis of atrial fibrillation or stroke prevention:

Risk factor based CHA ₂ DS ₂ -VASc Score	
Risk Factors	Score
<input type="checkbox"/> Congestive heart failure	1
<input type="checkbox"/> Hypertension	1
<input type="checkbox"/> Age ≥ 75 years	2
<input type="checkbox"/> Age between 65 and 74 years	1
<input type="checkbox"/> Stroke / TIA / TE	2
<input type="checkbox"/> Vascular disease (previous MI, peripheral arterial disease or aortic plaque)	1
<input type="checkbox"/> Diabetes mellitus	1
<input type="checkbox"/> Female	1
Total	

Document 2 preferred DOAC trials:

Preferred DOAC Trial 1: Name/Dose: _____ Trial Dates: _____

Failure reason: _____

Preferred DOAC Trial 2: Name/Dose: _____ Trial Dates: _____

Failure reason: _____

Requests for edoxaban (Savaysa):

Provide documentation of 5 to 10 days of initial therapy with a parenteral anticoagulant (low molecular weight heparin or unfractionated heparin) for diagnosis of DVT or PE:

Drug name & dose: _____ Trial dates: _____

Medical or contraindication reason to override trial requirements: _____

Attach lab results and other documentation as necessary.

Prescriber signature (Must match prescriber listed above.)	Date of submission
--	--------------------

IMPORTANT NOTE: *In evaluating requests for prior authorization the consultant will consider the treatment from the standpoint of medical necessity only. If approval of this request is granted, this does not indicate that the member continues to be eligible for Medicaid. It is the responsibility of the provider who initiates the request for prior authorization to establish by inspection of the member's Medicaid eligibility card and, if necessary by contact with the county Department of Health and Human Services, that the member continues to be eligible for Medicaid.*