

PEDIATRIC HEDIS® MEASURES			
HEDIS MEASURE	AGE	MEASURE DESCRIPTION	BILLING CODES
Well Child Visits in the First 30 Months of Life (W30)	0-30 months	The percentage of members who had the following number of well-child visits with a PCP during the last 15 months. The following rates are reported: 1. Well-Child Visits in the First 15 Months. Children who turned 15 months old during the measurement year: Six or more well-child visits. 2. Well-Child Visits for Age 15 Months-30 Months. Children who turned 30 months old during the measurement year: Two or more well-child visits.	CPT: 99381-99385, 99391-99395, 99461 HCPCS: G0438, G0439, S0302, S0610, S0612, S0613 *ICD-10: Z00.00, Z00.01, Z00.110, Z00.111, Z00.121, Z00.129, Z00.2, Z00.3, Z01.411, Z01.419, Z02.5, Z02.84, Z76.1, Z76.2
Child and Adolescent Well-Visits (WCV)	3-21 years	The percentage of members 3-21 years of age who had at least one comprehensive well-care visit with a PCP or an OB/GYN practitioner during the measurement year.	CPT: 99381-99385, 99391-99395, 99461 HCPCS: G0438, G0439, S0302, S0610, S0612, S0613 *ICD-10: Z00.00, Z00.01, Z00.110, Z00.111, Z00.121, Z00.129, Z00.2, Z00.3, Z01.411, Z01.419, Z02.5, Z02.84, Z76.1, Z76.2
Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents (WCC)	3-17 years	The percentage of members 3-17 years of age who had an outpatient visit with a PCP or OB/GYN provider and who had evidence of the following during the measurement year: <ul style="list-style-type: none"> BMI percentile documentation. Because BMI norms for youth vary with age and gender, this measure evaluates whether BMI percentile is assessed rather than an absolute BMI value. Counseling for nutrition documentation or referral for nutrition education. Counseling for physical activity documentation or referral for physical activity.	BMI Percentile *ICD-10: Z68.51, Z68.52, Z68.53, Z68.54 Counseling for Nutrition CPT: 97802-97804 *ICD-10: Z71.3 HCPCS: G0270, G0271, G0447, S9449, S9452, S9470 Counseling for Physical Activity ICD-10: Z02.5, Z71.82 HCPCS: S9451, G0447
Lead Screening in Children (LSC)	0-2 years	The percentage of children 2 years of age who had one or more capillary or venous lead blood test for lead poisoning on or before their second birthday.	CPT: 83655
Childhood Immunization Status (CIS-E)	0-2 years	The percentage of children 2 years of age who had the following vaccines by their second birthday: 4 DTaP, 3 IPV, 1 MMR, 3 HiB, 3 Hep B, 1 VZV, & 4 PCV	DTaP: CPT: 90697, 90698, 90700, 90723 CVX: 20, 50, 106, 107, 110, 120, 146 IPV: CPT: 90697, 90698, 90713, 90723 CVX: 10, 89, 110, 120, 146
Immunizations for Adolescents (IMA-E)	11-13 years *HPV 9-13 years	The percentage of adolescents 13 years of age who had the following vaccines: <ul style="list-style-type: none"> One dose of meningococcal vaccine, One tetanus, diphtheria toxoids and acellular pertussis (Tdap) vaccine, Completed the human papillomavirus (HPV) vaccine series by their 13th birthday. 	Meningococcal Immunization CPT: 90619, 90623, 90733, 90734 CVX: 32, 108, 114, 136, 147, 167, 203, 316 Tdap Vaccine Procedure CPT: 90715 CVX: 115 HPV Immunization CPT: 90649, 90650, 90651 CVX: 62, 118, 137, 165
Appropriate Testing for Children with Pharyngitis (CWP)	2-18 years	The percentage of episodes for members three years old and older where the member was diagnosed with pharyngitis, dispensed an antibiotic, and received a group A streptococcus (strep) test for the episode.	Pharyngitis *ICD-10: J02.0, J02.8, J02.9, J03.00, J03.01, J03.80, J03.81, J03.90, J03.91 Group A Strep Tests CPT: 87070, 87071, 87081, 87430, 87650-87652, 87880 Telephone Visits CPT: 98966-98968, 99441-99443 Online Assessments CPT: 98970-98972, 98980, 98981, 99422-99423, 99457, 99458 HCPCS: G0071, G2010, G2012, G2250-G2252

PEDIATRIC HEDIS® MEASURES

HEDIS MEASURE	AGE	MEASURE DESCRIPTION	BILLING CODES
Follow-up After Hospitalization for Mental Illness (FUH)	6 years and older	<p>The percentage of discharges for members six years of age and older who were hospitalized for a principal diagnosis of mental illness, or any diagnosis of intentional self-harm, and who had mental health follow-up service. Visits must occur after the date of discharge. Two rates are reported:</p> <ol style="list-style-type: none"> The percentage of discharges for which the member received follow-up within 30 days after discharge. <p>The percentage of discharges for which the members received follow-up within 7 days after discharge.</p>	<p>Codes to Identify Visits (must be with mental health practitioner) CPT: 98960-98962, 99078, 99201-99205, 99211-99215, 99217-99220, 99241-99245, 99341-99345, 99347-99350, 99381-99387, 99391-99397, 99401-99404, 99411, 99412, 99483, 99492-99494, 99510 HCPCS: G0155, G0176, G0177, G0182, G0409-G0411, G0463, G0512, G9473-G9479, H0002, H0004, H0031, H0034-H0037, H0039, H0040, H2000, H2001, H2010-H2020, Q5003- Q5010, S0201, S9126, S9480, S9484, S9485, T1015, T2042-T2046 CPT with POS 03, 05, 07, 09, 11, 12, 13, 14, 15, 20, 22, 24, 33, 49, 50, 52, 53, 71, 72: 90791, 90792, 90832-90834, 90836-90840, 90845, 90847, 90849, 90853, 90870, 90875, 90876 CPT with POS 52, 53: 99221-99223, 99231-99233, 99238, 99239, 99251-99255</p>
Follow-up After Emergency Department Visit For Mental Illness (FUM)	6 years and older	<p>The percentage of emergency department (ED) visits for members 6 years of age and older with a principal diagnosis of mental illness or intentional self-harm, who had a follow-up visit for mental illness. Two rates are reported:</p> <ol style="list-style-type: none"> The percentage of ED visits for which the member received follow-up within 30 days of the ED visit (31 total days). <p>The percentage of ED visits for which the members received follow-up within 7 days of the ED visit (8 total days).</p>	<p>Codes to Identify Follow-up Visits: (visit with any practitioner and must include principal diagnosis) CPT with POS: 02, 03, 05, 07, 09, 11, 12, 13, 14, 15, 16, 17, 18, 19, 22, 33, 49, 50, 71, 72: 98960-98962, 99078, 99201-99205, 99211-99215, 99217-99220, 99241-99245, 99341-99345, 99347-99350, 99381-99387, 99391-99397, 99401-99404, 99411, 99412, 99483, 99510 HCPCS: G0155, G0176, G0177, G0409-G0411, G0463, H0002, H0004, H0031, H0034-H0037, H0039, H0040, H2000, H2001, H2010-H2020, S0201, S9480, S9484, S9485, T1015 CPT with POS: 03, 05, 07, 09, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 22, 24, 33, 49, 50, 52, 53, 57, 71, 72: 90791, 90792, 90832-90834, 90836-90840, 90845, 90847, 90849, 90853, 90867-90870, 90875, 90876 CPT with POS 52, 53: 99221-99223, 99231-99233, 99238, 99239, 99251-99255</p>

PEDIATRIC HEDIS® MEASURES

HEDIS MEASURE	AGE	MEASURE DESCRIPTION	BILLING CODES
Follow-up Care for Children Prescribed ADHD Medication (ADD-E)	6-12 years	<p>The percentage of children newly prescribed attention-deficit/hyperactivity disorder (ADHD) medication who had at least three follow-up care visits within a 300-day (10 month) period, one of which was within 30 days of when the first ADHD medication was dispensed. Two rates are reported:</p> <ol style="list-style-type: none"> 1. Initiation Phase: The percentage of members 6–12 years of age with a prescription dispensed for ADHD medication, who had one follow-up visit with a practitioner with prescribing authority during the 30-day initiation phase. <p>Continuation and Maintenance (C & M) Phase: The percentage of members 6–12 years of age with a prescription dispensed for ADHD medication, who remained on the medication for at least 210 days and who, in addition to the visit in the initiation phase, had at least two follow-up visits with a practitioner within 270 days (9 months) after the initiation phase ended.</p>	<p>Outpatient POS (Initiation Phase and C & M Phase) CPT Visit Setting Unspecified: 90791, 90792, 90832-90834, 90836-90840, 90845, 90847, 90849, 90853, 90875, 90876, 99221-99223, 99231-99233, 99238, 99239, 99252-99255 with Outpatient POS: 03, 05, 07, 09, 11-20, 22, 33, 49, 50, 71, 72 OR Intensive Outpatient Encounter or Partial Hospitalization POS: 52 OR Community Mental Health Center POS: 53 OR Telehealth POS: 02, 10 BH Outpatient Visit (Initiation Phase and C & M Phase) CPT: 98960-98962, 99078, 99202-99205, 99211-99215, 99242-99245, 99341, 99342, 99344, 99345, 99347-99350, 99381-99387, 99391-99397, 99401-99404, 99411, 99412, 99483, 99492-99494, 99510 HCPCS: G0155, G0176, G0177, G0409, G0463, G0512, H0002, H0004, H0031, H0034, H0036, H0037, H0039, H0040, H2000, H2010, H2011, H2013-H2020, T1015 UBREV: 0510, 0513, 0515-0517, 0519-0523, 0526-0529, 0900, 0902-0904, 0911, 0914-0917, 0919, 0982, 0983 Health and Behavior Assessment or Intervention (Initiation Phase and C & M Phase) CPT: 96156, 96158, 96159, 96164, 96165, 96167, 96168, 96170, 96171 Partial Hospitalization or Intensive Outpatient (Initiation Phase and C & M Phase) HCPCS: G0410, G0411, H0035, H2001, H2012, S0201, S9480, S9484, S9485 UBREV: 0905, 0907, 0912, 0913 Telephone Visits (Initiation Phase and C & M Phase) CPT: 98966-98968, 99441-99443 Online Assessments (C & M Phase) CPT: 98970-98972, 98980, 98981, 99421-99423, 99457, 99458 HCPCS: G0071, G2010, G2012, G2250-G2252 Note: Only one of the two visits (during the 31–300 days after the IPSD) may be an e-visit or virtual check-in.</p>
Follow-up After Emergency Department Visit For Substance Use (FUA)	13 years and older	<p>The percentage of emergency department (ED) visits for members 13 years of age and older with a principal diagnosis of substance use disorder (SUD), or any diagnosis of drug overdose, for which there was follow-up.</p> <ol style="list-style-type: none"> 1. The percentage of ED visits for which the member received follow-up within 30 days of the ED visit (31 total days). 2. The percentage of ED visits for which the member received follow-up within 7 days of the ED visit (8 total days). 	<p>Outpatient Visit with any diagnosis of SUD, substance use, or drug overdose or with a mental health provider CPT Visit Setting Unspecified: 90791, 90792, 90832-90834, 90836-90840, 90845, 90847, 90849, 90853, 90875-90876, 99221-99223, 99231-99233, 99238-99239, 99252-99255 with Outpatient POS: 03, 05, 07, 09, 11-20, 22, 33, 49, 50, 71, 72</p>
Metabolic Monitoring for Children and Adolescents on Antipsychotics (APM-E)	1-17 years	<p>The percentage of children or adolescents 1-17 years of age who had two or more antipsychotic prescriptions and had metabolic testing. Three rates are reported:</p> <ol style="list-style-type: none"> 1. The percentage of children and adolescents on antipsychotics who received blood glucose testing. 2. The percentage of children and adolescents on antipsychotics who received cholesterol testing. <p>The percentage of children and adolescents on antipsychotics who received blood glucose and cholesterol testing.</p>	<p>Glucose Lab Test CPT: 80047, 80048, 80050, 80053, 80069, 82947, 82950, 82951 HbA1c Lab Test CPT: 83036, 83037 Cholesterol Lab Test CPT: 82465, 83718, 83722, 84478 LDL C Tab Test CPT: 80061, 83700, 83701, 83704, 83721</p>
Pharmacotherapy for Opioid Use Disorder (POD)	16 years and Older	<p>The percentage of opioid use disorder (OUD) pharmacotherapy events that lasted at least 180 days among members 16 years of age and older with a diagnosis of OUD and a new OUD pharmacotherapy event.</p>	<p>Medication List Naltrexone (oral or injectable), Buprenorphine (sublingual tablet, injection, implant), Buprenorphine/naloxone (sublingual tablet, buccal film, sublingual film), Methadone (oral)</p>

PEDIATRIC HEDIS® MEASURES

HEDIS MEASURE	AGE	MEASURE DESCRIPTION	BILLING CODES
Appropriate Treatment for Upper Respiratory Infection (URI)	3 months of age and older	The percentage of episodes for members three months of age and older with a diagnosis of upper respiratory infection (URI) that did not result in an antibiotic dispensing event.	Medication List Amikacin, Gentamicin, Streptomycin, Tobramycin, Amoxicillin, Ampicillin, Amoxicillin-clavulanate, Ampicillin-sulbactam, Piperacillin-tazobactam, Cefadroxil, Cefazolin, Cephalexin, Cefepime, Clindamycin, Lincomycin, Azithromycin, Clarithromycin, Erythromycin, Aztreonam, Chloramphenicol, Dalbapristin-quinupristin, Daptomycin, Linezolid, Metronidazole, Vancomycin, Penicillin G benzathine-procaine, Penicillin G potassium, Penicillin G procaine, Penicillin G sodium, Penicillin V potassium, Penicillin G benzathine, Dicloxacillin, Nafcillin, Oxacillin, Ciprofloxacin, Gemifloxacin, Levofloxacin, Moxifloxacin, Ofloxacin, Rifampin, Cefaclor, Cefotetan, Cefoxitin, Cefprozil, Cefuroxime, Sulfadiazine, Sulfamethoxazole-trimethoprim, Doxycycline, Minocycline, Tetracycline Cefdinir, Cefixime, Cefotaxime, Cefpodoxime, Ceftazidime, Ceftriaxone, Fosfomycin, Nitrofurantoin, Nitrofurantoin macrocrystals-monohydrate, Trimethoprim
Avoidance of Antibiotic Treatment for Acute Bronchitis/ Bronchiolitis (AAB)	3 months of age and older	The percentage of episodes for members ages 3 months and older, continuously enrolled without a gap of coverage from 30 days prior to the episode date through 3 days after the episode date (34 total days), with a diagnosis of acute bronchitis or bronchiolitis that did not result in an antibiotic dispensing event.	Medications Aminoglycosides Amikacin, Gentamicin, Streptomycin, Tobramycin Aminopenicillins Amoxicillin, Ampicillin Beta-lactamase Inhibitors Amoxicillin-clavulanate, Ampicillin-sulbactam, Piperacillin-tazobactam First-generation Cephalosporins Cefadroxil, Cefazolin, Cephalexin Fourth generation Cephalosporins Cefepime Lincomycin Derivatives Clindamycin, Lincomycin Macrolides Azithromycin, Clarithromycin, Erythromycin Miscellaneous Antibiotics Aztreonam, Chloramphenicol, Dalbapristin-quinupristin, Daptomycin, Linezolid, Metronidazole, Vancomycin Natural Penicillin Penicillin G benzathine-procaine, Penicillin G potassium, Penicillin G procaine, Penicillin G sodium, Penicillin V potassium, Penicillin G benzathine Penicillinase Resistant Penicillin Dicloxacillin, Nafcillin, Oxacillin Quinolones Ciprofloxacin, Gemifloxacin, Levofloxacin, Moxifloxacin, Ofloxacin Rifamycin Derivatives Rifampin Second-generation Cephalosporin Cefaclor, Cefotetan, Cefoxitin, Cefprozil, Cefuroxime Sulfonamides Sulfadiazine, Sulfamethoxazole-trimethoprim Tetracyclines Doxycycline, Minocycline, Tetracycline Third generation Cephalosporins Cefdinir, Cefixime, Cefotaxime, Cefpodoxime, Ceftazidime, Ceftriaxone Urinary Anti-infectives Fosfomycin, Nitrofurantoin, Nitrofurantoin macrocrystals-monohydrate, Trimethoprim
Asthma Medication Ratio (AMR)	5-64 years persistent asthmatics	The percentage of members 5-64 years of age who were identified as having persistent asthma and had a ratio of controller medications to total asthma medications of 0.50 or greater during the measurement year.	Medication List Antibody Inhibitors Omalizumab Anti-interleukin-4 Dupilumab Anti-interleukin 5 Benralizumab, Mepolizumab, Reslizumab, Budesonide-formoterol, Fluticasone-salmeterol, Fluticasone-vilanterol, Formoterolmometasone Inhaled Corticosteroids Beclomethasone, Budesonide, Ciclesonide, Flunisolide, Fluticasone, Mometasone Leukotriene Modifiers Montelukast, Zafirlukast, Zileuton Methylxanthines Theophylline
Chlamydia Cancer Screening (CHL)	16-24 years	The percentage of members 16-24 years of age who were recommended for routine chlamydia screening, were identified as sexually active and had at least one test for chlamydia during the measurement year.	CPT: 75580, 87110, 87270, 87320, 87490-87492, 87810

MY 2025 MEDICAID TIP SHEET FOR PROVIDERS

PEDIATRIC HEDIS® MEASURES

HEDIS MEASURE	AGE	MEASURE DESCRIPTION	BILLING CODES
Use of First-Line Psychosocial Care for Children and Adolescents on Antipsychotics (APP)	1-17 years	The percentage of children and adolescents 1-17 years of age who had a new prescription for an antipsychotic medication and had documentation of psychosocial care as first-line treatment.	<p>Psychosocial Care CPT: 90832-90834, 90836-90840, 90845-90847, 90849, 90853, 90875, 90876, 90880 HCPCS: G0176, G0177, G0409-0411, H0004, H0035-H0040, H2000, H2001, H2011-H2014, H2017-H2020, S0201, S9480, S9484, S9485</p> <p>Residential Behavioral Health Treatment HCPCS: H0017-H0019, T2048</p> <p>Medications Miscellaneous Antipsychotic Agents: Aripiprazole, Asenapine, Brexpiprazole, Cariprazine, Clozapine, Haloperidol, Iloperidone, Loxapine, Lurasidone, Molindone, Olanzapine, Paliperidone, Pimozide, Quetiapine, Risperidone, Ziprasidone Phenothiazine Antipsychotics: Chlorpromazine, Fluphenazine, Perphenazine, Thioridazine, Trifluoperazine Thioxanthenes: Thiothixene Long-acting Injections: Aripiprazole, Aripiprazole lauroxil, Fluphenazine decanoate, Haloperidol decanoate, Olanzapine, Paliperidone palmitate, Risperidone Psychotherapeutic Combinations*: Fluoxetine-olanzapine, Perphenazine-amitriptyline *Please submit a request for coverage when prescribing Psychotherapeutic Combination medications.</p>